

MACHINE-DATA

Machinetype	: Hydr. pressbrake
Make	: ERMAK
Type	: ECO BEND EXPERT 200/3
Year	:
Control type	:
Control	:
Storage location	: Ahaus
Origin	:
Delivery time	: by appointment
Quotation	: ex works Ahaus, free loading
Price	: on request



TECHNICAL DATA

pressure	200 t
chamfer lenght	3100 mm
distance between columns	2600 mm
column arm	250 mm
ram stroke speed	100 mm/sec
return speed	75,0 mm/sec
work speed	7,0 mm/min
work stroke	180 mm
daylighth	415 mm
oil volume	200 ltr.
table height	900 mm
voltage	400 Volt
range L-W-H	4450x2050x2650 mm

TECHNICAL DESCRIPTION

Furnishing:

- DELEM - CNC control model DA-58T
- controlled axes: Y1 - Y2 and X
- FIESSLER AKAS - laser protection in front of the machine
- Deer foot upper tool
- Universal die block
- manual table crowning
- Safety device: light barrier behind the machine
- 2 front support arms
- SIEMENS - electrical system
- BOSCH / HOERBIGER hydraulic system

Hydr. pressbrake
ERMAK
ECO BEND EXPERT 200/3
Stock no. :1008-8301071



-
- CE mark / declaration of conformity
 - Operating manual: machine and control
 - Safety manual: press brakes

VIDEO-LINKS

WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Hydr._pressbrake/ERMAK/ECO_BEND_EXPERT_200_3/1008-8301071

MACHINE PICTURES

