

MACHINE-DATA

Machinetype	: Plate Shear - Hydraulic
Make	: ERMAK
Type	: HGS-A 3100-6
Year	: NEU
Control type	:
Control	:
Storage location	: Möckmühl-Züttlingen
Origin	:
Delivery time	: immediately
Quotation	: ex stock
Price	: on request



TECHNICAL DATA

sheet width	3100 mm
plate thickness	6,0 mm
distance between columns	3150 mm
thickness at "Niro-steel"	4,0 mm
cutting angle	1,2 °
no. of strokes	20 Hub/min
	14 St.
main drive	15 kW
back stop - adjustable	1000 mm
cutting gap adjustment	0,05 - 0,8 mm
quantity of oil	~150 l
weight of the machine ca.	5,65 t
dimensions of the machine ca.	3,9 x 2,4 x 1,64 m

TECHNICAL DESCRIPTION

- * CYBELEC CybTouch 6 program control with big, luminous and contrasty full-touchscreen, EasyCut for single cuts, easy and clear display wit big keys
- * back stop adjustment by ball screw spindles 1000 mm - controlled by CybTouch
- * side stop in front with scale, T-slot tilt cams for right angular cuts
L cuts =1000 mm
- * 2 bearing arms in front 1000 mm
- * ball screws and side stop and bearing arms for easy moving of sheets
- * quick cutting gap adjustment
- * cutting length limit
- * cutting line illumination

Plate Shear - Hydraulic
ERMAK
HGS-A 3100-6
Stock no. :1012-6737



- * *tiltable finger protection*
- * *movable foot switch*
- * *SIEMENS electronic device*
- * *BOSCH/HOERBIGER hydraulic system*
- * *safety light barrier at back side*
- * *CE-conformity declaration*
- * *12 month guarantee*
- * *oil fill (if desired): 500 Euro*
- * *locally instruction/ start-up (if desired): 850 Euro*

VIDEO-LINKS

WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Plate_Shear_-_Hydraulic/ERMAK/HGS-A_3100-6/1012-6737

Plate Shear - Hydraulic
ERMAK
HGS-A 3100-6
Stock no. :1012-6737



MACHINE PICTURES

