

MACHINE-DATA

Machinetype	: CNC Turning- and Milling Center
Make	: MORI SEIKI
Type	: NZ 1500 T3Y3
Year	: 2008
Control type	: MSX 701 MAPPS III
Control	: MSX 701 MAPPS III
Storage location	: D-59302 Oelde
Origin	: Japan
Delivery time	: immediately
Quotation	: ex site
Price	: on request



TECHNICAL DATA

turning diameter	max. 320 mm
turning length	810 mm
control	MSX 701 MAPPS III
standard turning dia.	200 mm
Number of revolutions	max. 6.000 min/-1
power capacity - main spindle	22 / 18,5 kW
Bar feed	max. 52 mm
spindle bore	61 mm
C-Axis	0,001 °
Number of revolutions	max. 6.000 min/-1
power capacity - Sub spindle	22 / 18,5 kW
Bar feed	max. 52 mm
spindle bore	61 mm
C-Axis	0,001 °
number of toolpositions	je 16 pos.
Number of driven toolpositions	je 16 pos.
Spindle speed - driven tools	max. 6.000 min -1
power capacity - driven tools	7,5 / 5,5 kW
Y - Axis	110 (+65 / -45) mm
number of toolpositions	16 pos.
Number of driven toolpositions	16 pos.
Spindle speed - driven tools	max. 6.000 min -1
power capacity - driven tools	7,5 / 5,5 kW
Y - Axis	110 (+45 / -65) mm
x-travel	1-3: 210 mm
y-travel	1-3: 110 mm

CNC Turning- and Milling Center
MORI SEIKI
NZ 1500 T3Y3
Stock no. :1039-9053



z-travel	1+3: 300 / 2: 810 mm
total power requirement	90 kVA
weight of the machine ca.	9,3 t
dimensions of the machine ca.	4,5 x 3,0 x 2,5 m

Accessories:

Documents

TECHNICAL DESCRIPTION

CNC - Turning- and MillingCenter
MORI SEIKI - NZ 1500 T3Y3

- *Main- and Subspindle*
- *3 turrets, 2x upper / 1x below*
- *3x Y-Axis*
- *3x 16-pos. tool-drive*

- *incl. 28x collets*
- *incl. Hainbuch changing device*



VIDEO-LINKS



WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/CNC_Turning-_and_Milling_Center/MORI_SEIKI/NZ_1500_T3Y3/1039-9053

MACHINE PICTURES



CNC Turning- and Milling Center
MORI SEIKI
NZ 1500 T3Y3
Stock no. :1039-9053



+ LAGERMASCHINEN.DE +

+ LAGERMASCHINEN.DE +

