

MACHINE-DATA

Machinetype	: CNC Turning- and Milling Center
Make	: GILDEMEISTER
Type	: CTX 410 V3
Year	: 2004
Control type	: Heidenhain Plus iT
Control	: Heidenhain Plus iT
Storage location	: D-59302 Oelde
Origin	: Germany
Delivery time	: immediately
Quotation	: ex site
Price	: on request



TECHNICAL DATA

max. turning diameter	505 mm
turning length	ca. 600 mm
swing diameter above cross guideway	375 mm
control	Heidenhain Plus iT
turning speed range - main spindle	25 - 5.000 min/-1
power capacity - main spindle	28 / 21 kW
max. Torque	320 / 240 Nm
spindle nose	170h5
chucking diameter	210 / (max. 305) mm
spindle diameter in front bearing	130 mm
spindle bore	87 mm
max. usable bar diameter	65 mm
c-axis	360°
number of toolpositions	12 pos.
tool taper	VDI 30 DIN 69880
Number of driven toolpositions	12 pos.
tool spindle speed range	max. 4.000 min/-1
power capacity driven tool-stations	9,5 kW
max. Torque	23 Nm
x-travel	250 mm
z-travel	635 mm
tailstock	580 mm
taper of center	MK 4
clamping capacity	800 daN
rapid traverse	X: 24 / Z: 30 m/min
total power requirement	44 kVA

CNC Turning- and Milling Center
GILDEMEISTER
CTX 410 V3
Stock no. :1039-9178



weight of the machine ca.

5,8 t

dimensions of the machine ca.

4,5 x 2,5 x 2,5 m

Accessories:

Documents

TECHNICAL DESCRIPTION

CNC Turning- and Milling Center

Gildemeister - CTX 410 V3



- ToolDrive
- C-Axis
- BarFeeder

VIDEO-LINKS

WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/CNC_Turning-_and_Milling_Center/GILDEMEISTER/CTX_410_V3/1039-9178

MACHINE PICTURES



CNC Turning- and Milling Center
GILDEMEISTER
CTX 410 V3
Stock no. :1039-9178



+ LAGERMASCHINEN.DE +

+ LAGERMASCHINEN.DE +

