

MACHINE-DATA

Machinetype	: Aluminium Circular Saw
Make	: BERG & SCHMID
Type	: VELOX 350 VA MPS
Year	: -neu-
Control type	:
Control	:
Storage location	: 46342 Velen
Origin	: Germany
Delivery time	: on request
Quotation	: ab Werk
Price	: on request



TECHNICAL DATA

saw blade diameter	350 mm
capacity 90 degrees: round	120 mm
capacity 90 degrees: square	110 mm
capacity 90 degrees: flat	200x88 mm
capacity 45 degrees: round	115 mm
capacity 45 degrees: square	110 mm
capacity 45 degrees: square	150x80 mm
total power requirement	1,5/1,8 kW
weight of the machine ca.	0,59 t
dimensions	1,9 x 1,4 x 1,8 m

TECHNICAL DESCRIPTION

Hydropneumatic fully automatic

- Miter Left/Right
- Bevel head cuts up to 45° (shifter) a. b.
- Hydro-pneumatic control of the saw head
- Pneumatic double clamping device
- Pneumatic vertical clamping device
- Electro-pneumatic material feed unit with material hold-down device
- Vernier for length adjustment
- Integrated coolant spray device
- Swarf suction nozzle on the saw blade protective hood
- Leftover piece length in automatic mode 210 mm

MPS control:

- Save cut start/end
- Display of current consumption, number of pieces, cutting time...

Aluminium Circular Saw
BERG & SCHMID
VELOX 350 VA MPS
Stock no. :1108-66903



-
- *Adjustable water cooling*
 - *Cutting pressure regulator*

VIDEO-LINKS

WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Aluminium_Circular_Saw/BERG_-_SCHMID/VELOX_350_VA_MPS/1108-66903

Aluminium Circular Saw
BERG & SCHMID
VELOX 350 VA MPS
Stock no. :1108-66903



+ LAGERMASCHINEN.DE +

+ LAGERMASCHINEN.DE +

MACHINE PICTURES



Technical specifications according to manufacturer's information / documentation

WMT GmbH & Co.KG

Siemensstraße 1 · 46342 Velen-Ramsdorf Fon: +49 2863 92477-47 · info@w-m-t.de

Page: 3/3